



Department of Energy
Richland Operations Office
P.O. Box 550
Richland, Washington 99352

0061125

04-AMCP-0148

JAN 14 2004

Dr. A. W. Conklin, Supervisor
Air Emissions and Defense Waste Section
Washington State Department of Health
P.O. Box 47827
Olympia, Washington 98504

RECEIVED
JAN 22 2004

EDMC

Dear Dr. Conklin:

ACCEPTANCE OF NOTICE OF CONSTRUCTION APPROVAL AIR-04-101 FOR THE
OPERATION OF THE LIQUID EFFLUENT RETENTION FACILITY AND THE 200 AREA
EFFLUENT TREATMENT FACILITY, NOC ID 562

The U.S. Department of Energy, Richland Operations Office (RL) received the Washington State Department of Health's AIR-04-101 Notice of Construction (NOC) approval for the "Operation of the Liquid Effluent Retention Facility and the 200 Area Effluent Treatment Facility," on January 5, 2004. The NOC is accepted by RL. With this understanding, it is RL's plan that work may begin under this NOC at any time.

If you have questions, please contact me, or your staff may contact Mary Jarvis, Regulatory Compliance and Analysis Division, on (509) 376-2256, or Doug Hildebrand, Office of the Assistant Manager for the Central Plateau, on (509) 373-9626.

Sincerely,

Keith A. Klein
Manager

AMCP:RDH

cc: J. A. Bates, FHI
R. H. Engelmann, FHI
E. W. Fordham, WDOH
S. Harris, CTUIR
W. E. Green, FHI
R. D. Greenwell, FHI
R. H. Gurske, FHI
R. Jim, YN
R. E. Johnson, FHI

R. W. Poeton, EPA
J. Schmidt, WDOH
P. Sobotta, NPT
R. W. Szelmeczka, FHI
O. S. Wang, WDOE
J. A. Winterhalder, FHI
D. Zhan, EPA Region 10, Seattle
Administrative Record
Environmental Portal, LMSI